

AMENDED
APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. DEC 21 1990
 Returned to applicant for correction. FEB 5 1991
 Corrected application filed. APR 5 1991
 Map filed. APR 5 1991 under 55551

Eco-Vision, Inc.
 The applicant
 3445 Skyline Blvd. Reno
 Nevada 89509, of S City or Town
 State and Zip Code No. hereby make application for permission to appropriate the public
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
 copartnership or association, give names of members.) Incorporated in Nevada 1990

- underground
 Name of stream, lake, spring, underground or other source
1. The source of the proposed appropriation is.....
2. The amount of water applied for is. 10100.6 cfs. 7239.66 Acre-Feet Annually second-feet
 One second-foot equals 448.83 gals. per min.
- (a) If stored in reservoir give number of acre-feet.....
3. The water to be used for. Municipal Purposes
 Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
- (a) Irrigation, state number of acres to be irrigated.....
- (b) Stockwater, state number and kinds of animals to be watered.....
- (c) Other use (describe fully under "No. 12. Remarks"). See Attachment "A"
- (d) Power:
- (1) Horsepower developed.....
- (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point. SE 1/4 NE 1/4 Section 4, T.35N., R.50E.,
 Describe as being within a 40-acre subdivision of public
MDM at a point from which the SE Corner of Section 17, T.35N., R.50E., MDM bears
 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
S 18°47'48" W a distance of 14667.7 feet
6. Place of use. T34N R55E MDM (Elko); T33N R52E MDM (Carlin); T32N R45E MDM (Battle
 Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Mountain); T36N R38E MDM (Winnemucca); T27N R31E MDM (Lovelock); T20N R24E MDM
(Fernley & Wadsworth); T15N R20E MDM (Carson City); T18N R19E MDM; T19N R18E MDM;
T19N R19E MDM; T19N R20E MDM; T20N R19E MDM, T20N R20E MDM (Reno & Sparks). Use
Place of Use Map filed under Application 55551
7. Use will begin about. January 1 and end about. December 31, of each year.
 Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
 specifications of your diversion or storage works.) a drilled and cased well equipped with motor,
 State manner in which water is to be diverted, i.e. diversion structure, ditches and
pump and pipeline to places of use.
 flumes, drilled well with pump and motor, etc.
9. Estimated cost of works. \$150,000.00

10. Estimated time required to construct works.....four years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total combined duty not to exceed 25,000.00 acre feet annually from the following Applications: 55563, 55564, 55566 and 55572.

Compared pm/ se By s/Milton Manoukian
Milton Manoukian
3445 Skyline Blvd.
Reno, Nevada 89509

Protested See File

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby deny the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 19th day of June

Certificate No..... Issued..... A.D. 19 95

[Signature]
State Engineer

ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14

